


404 Rec'd PCT/PTO 03 SEP 1998

Date of Deposit <u>9/3/98</u>	Certificate of Mailing	09/142305
		Label Number: EE632393300US
I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" with sufficient postage on the date indicated above and is addressed to BOX PATENT APPLICATION, Assistant Commissioner of Patents, Washington, D.C. 20231.		
Sandra E. Marxen		
Printed name of person mailing correspondence	Signature of person mailing correspondence	

Substitute Form PTO 1390 U.S. Department of Commerce Patent and Trademark Office		Attorney's Docket Number: 50026/012001
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371		U.S. Application Number:
INTERNATIONAL APPLICATION NUMBER	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED
PCT/JP97/00687	March 5, 1997	March 5, 1996
TITLE OF INVENTION:	GENE THAT IMPARTS SELECTIVE PROLIFERATIVE ACTIVITY	
APPLICANTS FOR DO/EO/US:	KEIYA OZAWA, KATSUHISA ITOH, TSUNEAKI SAKATA, YASUJI UEDA, and MAMORU HASEGAWA	
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:		
1.	<input checked="" type="checkbox"/>	This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.
2.	<input type="checkbox"/>	This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.
3.	<input checked="" type="checkbox"/>	This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4.	<input checked="" type="checkbox"/>	A proper Demand for International Preliminary Examination was made by the 19 <sup>th</sup> month from the earliest claimed priority date.
5.	<input type="checkbox"/>	A copy of the International Application as filed (35 U.S.C. 371(c)(2)).
a.	<input checked="" type="checkbox"/>	is transmitted herewith (required only if not transmitted by the International Bureau).
b.	<input type="checkbox"/>	has been transmitted by the International Bureau.
c.	<input type="checkbox"/>	Is not required, as the application was filed with the United States Receiving Office (RO/US).
6.	<input checked="" type="checkbox"/>	A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7.	<input type="checkbox"/>	Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)).
a.	<input type="checkbox"/>	are transmitted herewith (required only if not transmitted by the International Bureau).
b.	<input type="checkbox"/>	have been transmitted by the International Bureau.
c.	<input type="checkbox"/>	have not been made; however, the time limit for making such amendments has NOT expired.
d.	<input checked="" type="checkbox"/>	have not been made and will not be made.
8.	<input type="checkbox"/>	A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9.	<input checked="" type="checkbox"/>	An UNSIGNED oath or declaration of the inventors (35 U.S.C. 371(c)(4)).

09/142305

300 Rec'd PCT/PTO 03 SEP 1998

10.		A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).			
11.		An Information Disclosure Statement under 37 CFR 1.97 and 1.98.			
12.		An assignment for recording. A separate cover sheet in compliance with 37 3.28 and 3.31 is included.			
13.		A FIRST preliminary amendment.			
		A SECOND or SUBSEQUENT preliminary amendment.			
14.		A substitute specification.			
15.		A change of power of attorney and/or address letter.			
16.		Other items or information:			
17.	X	<p>The following fees are submitted:</p> <p>BASIC NATIONAL FEE (37 CFR 1.492(A)(1)-(5)):</p> <p>Search Report has been prepared by the EPO or JPO \$ 930.00</p> <p>International preliminary examination fee paid to USPTO (37 CFR 1.482) \$ 720.00</p> <p>No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$ 790.00</p> <p>Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$ 1070.00</p> <p>International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) \$ 98.00</p>			
		ENTER APPROPRIATE BASIC FEE AMOUNT =		\$ 930.00	
		Surcharge of \$130 for furnishing the oath or declaration later than <input type="checkbox"/> 20 OR <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).		\$	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	17 - 20 =		x \$22.00	\$0	
Independent claims	3 - 3 =		x \$82.00	\$0	
Multiple dependent claims (if applicable)			+ \$270.00	\$0	
		TOTAL OF ABOVE CALCULATIONS =		\$ 0	
		Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed with this request (Note 37 CFR 1.9, 1.27, 1.28).		\$	
		SUBTOTAL =		\$ 930.00	
		Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 OR <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).		+	\$
		TOTAL NATIONAL FEE =		\$	
		Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property.		+	\$
		TOTAL FEES ENCLOSED =		\$ 930.00	

[illegible]

ATTORNEY DOCKET NO.

Applicant or Patentee : KEIYA OZAWA ET AL.  
Serial or Patent No. :  
Filed or issued : September 3, 1998  
Title : GENE THAT IMPARTS SELECTIVE PROLIFERATIVE ACTIVITY

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS  
(37 CFR 1.9(f) and 1.27(c)) - SMALL BUSINESS CONCERN

I hereby declare that I am

- ☐ the owner of the small business concern identified below.  
☒ an official of the small business concern empowered to act on behalf of the concern identified below:

Name of Small Business Concern: DNAVEC RESEARCH, INC.

Address of Small Business Concern: 25-11, Kannondai 1-chome, Tsukuba-shi, IBARAKI 305-0856 JAPAN

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled GENE THAT IMPARTS SELECTIVE PROLIFERATIVE ACTIVITY by inventors KEIYA OZAWA, KATSUHISA ITOH, TSUNEAKI SAKATA, YASUJI UEDA AND MAMORU HASEGAWA described in

- ☐ the specification filed herewith.  
☒ application serial no. filed September 3, 1998  
☐ patent no. ["PATENT NUMBER"], issued ["ISSUE DATE"].

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e). NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

Assignee Name:

Assignee Address:

☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))


I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent on which this verified statement is directed.

Name: HIROTAKA NAKATOMI

Title: PRESIDENT

Address: 25-11, Kannondai 1-chome, Tsukuba-shi, IBARAKI 305-0856 JAPAN

Signature:



Date: June 1, 1999

## SPECIFICATION

GENE THAT IMPARTS SELECTIVE PROLIFERATION ACTIVITYTechnical Field

The present invention relates to the field of genetic engineering, particularly the field of gene therapy.

Background Art

Various methods have so far been devised to treat diseases caused by congenital or acquired genetic defects, namely, gene disorders. In gene therapy, one such method, a defective gene itself is substituted by or supplemented with a normal gene in order to fundamentally cure gene disorders. It is important for the success of gene therapy to introduce a normal gene accurately into target cells and to express the introduced gene accurately. The conventionally used vectors for introducing a normal gene into target cells are viral vectors such as retrovirus vectors, adenovirus vectors, and adeno-associated virus vectors, and non-viral vectors such as liposomes. However, all have some shortcomings such as low gene introduction efficiency into target cells. Furthermore, they are often inadequate for treatment because of additional disadvantages such as poor expression efficiency of an introduced gene. In adenosine deaminase (ADA) deficiency, the normal ADA gene-introduced cells are expected to acquire a survival advantage or a growth advantage and gradually become dominant as a result of *in vivo* selection. In such a case, it may be possible to obtain gradual treatment effects despite the poor gene introduction efficiency.

09142305 091099

However, it is often necessary to introduce a gene for treatment that cannot be selected *in vivo*. It has thus been desired to establish a system that enables selective amplification of cells containing an introduced gene.

Although G-CSF was traditionally considered as a cytokine (a hematopoietic factor) that selectively proliferates neutrophils, it has recently been reported that the administration of G-CSF increases not only neutrophils but also the hematopoietic stem cell/precursor cell pool in the body (Rinsho Ketsueki (Clinical Blood), 35, 1080 (1994)). The mechanism of manifestation of the G-CSF function has been reported to be dimerization of a G-CSF receptor that takes place upon activation of the G-CSF receptor by stimulation with G-CSF (Proc. Growth Factor Res., 3 (2), 131-141 (1991)). It has also been reported that the G-CSF receptor has a proliferation-inducing domain and a differentiation-inducing domain (Cell, 74, 1079-1087 (1993)). Moreover, like the G-CSF receptor, an estrogen receptor is known to be activated through dimerization (J Biol. Chem., 264, 2397-2400 (1989)), and there is a report that expression of a fusion protein between the estrogen receptor and c-Abl tyrosine kinase in the cell resulted in activation of the c-Abl tyrosine kinase (The EMBO Journal, 12, 2809-2819 (1993)).

#### Disclosure of the Invention

The present invention seeks to overcome the problem of poor gene introduction efficiency by selectively amplifying *in vivo* or *ex vivo* hematopoietic stem cells into which a gene for treatment has been introduced. The objective of the invention is to provide a fundamental technique for gene therapy targeting hematopoietic stem

cells.

In the field of gene therapy today, there are numerous problems to be overcome concerning the efficiency of gene introduction into target cells and the expression efficiency of the introduced gene. It is therefore obvious that establishing a system for selectively amplifying only the target cells containing the introduced gene will produce a major breakthrough. In particular, if such a system is established for hematopoietic stem cells, which are the origin of many blood cells such as red blood cells or white blood cells and which are considered to be the most preferable target cells for gene therapy, it would contribute significantly to the field of gene therapy.

G-CSF, which was traditionally thought to be a cytokine (a hematopoietic factor) that selectively proliferates neutrophils, can also proliferate hematopoietic stem cells. The G-CSF receptor dimerizes itself when it is activated. Considering these facts, the present inventors have thought of a system for amplifying hematopoietic stem cells through dimerization of a genetically engineered G-CSF receptor. Also based on the fact that the estrogen receptor dimerizes itself upon stimulation with estrogen, the present inventors have thought of constructing a chimeric gene between the G-CSF receptor gene and the estrogen receptor gene, introducing the chimeric gene into cells, and externally stimulating the cells by estrogen to forcibly dimerize the G-CSF receptor portion of the chimeric gene product.

Thus, the present invention was completed by developing a new system for selectively amplifying hematopoietic stem cells into which a gene has been introduced by activating the G-CSF receptor portion

of the chimeric gene product through external stimulation with estrogen, so as to apply this system to the field of gene therapy.

The present invention relates to a fusion protein comprising a ligand-binding domain, a domain that associates when a ligand binds to the ligand-binding domain, and a domain that imparts proliferation activity to a cell upon the association; a vector comprising a gene encoding the fusion protein; a cell containing the vector; and a method for selectively proliferating the cell either *in vivo* or *ex vivo* by exposing the cell to a steroid hormone. Furthermore, when the vector contains an exogenous gene, the present invention relates to a method for selectively proliferating a cell into which the exogenous gene has been introduced.

More specifically, the present invention relates to:

- (1) a fusion protein comprising, (a) a ligand-binding domain, (b) a domain that associates when the ligand binds to the domain of (a), and (c) a domain comprising a cytokine receptor or a part thereof that imparts proliferation activity to a cell upon the association;
- (2) the fusion protein of (1), wherein the "domain comprising a cytokine receptor or a part thereof that imparts proliferation activity to a cell upon the association" is derived from a G-CSF receptor;
- (3) the fusion protein of (1), wherein the "ligand-binding domain" is derived from a steroid hormone receptor;
- (4) the fusion protein of (3), wherein the steroid hormone receptor is an estrogen receptor;
- (5) a vector comprising a gene encoding the fusion protein of (1);
- (6) a cell carrying the vector of (5);

09442305 094099



- (7) a method for selectively proliferating the cell of (6), which comprises exposing the cell of (6) to a ligand capable of acting on the "ligand-binding domain" of the fusion protein of (1);
- (8) a vector comprising a desired exogenous gene and a gene encoding a fusion protein comprising (a) a ligand-binding domain, (b) a domain that associates when the ligand binds to the domain of (a), and (c) a domain that imparts proliferation activity to a cell upon the association;
- (9) the vector of (8), wherein the "domain that imparts proliferation activity to a cell upon the association" is derived from a cytokine receptor;
- (10) the vector of (9), wherein the cytokine receptor is a G-CSF receptor;
- (11) the vector of (8), wherein the "ligand binding domain" is derived from a steroid hormone receptor;
- (12) the vector of (11), wherein the steroid hormone receptor is an estrogen receptor;
- (13) the vector of (8), wherein the "gene encoding a fusion protein" and the "exogenous gene" are located on the same molecule;
- (14) the vector of (8), wherein the "gene encoding a fusion protein" and the "exogenous gene" are located on separate molecules;
- (15) a cell carrying the vector of any one of (8) to (14) above;
- (16) a method for selectively proliferating the cell of (15), which comprises exposing the cell of (15) to a ligand capable of acting on the "ligand-binding domain" of the fusion protein encoded by the gene contained in the vector of (8); and
- (17) a kit comprising (a) the vector of (5) or (8), and (b) a ligand capable of acting on the "ligand-binding domain" of the fusion

protein encoded by the gene contained in the vector.

Any ligand can be used in the present invention as long as it acts on a specific protein to cause association of the protein, but a steroid hormone is preferable. Examples of the steroid hormone include estrogens, androgens, progesterone, glucocorticoids, and mineral corticoids. They are used in combination with their respective receptor proteins. Any cytokine receptor can also be used in the present invention as long as it imparts proliferation activity to a cell upon association. Examples of the cytokine receptor are those belonging to the cytokine receptor family including G-CSF and those belonging to the tyrosine kinase receptor family including c-kit and flk2/flt3.

As the "domain which imparts proliferation activity to a cell" of the fusion protein according to the present invention, it is possible to use a molecule that transmits the intracellular proliferation signal, for example, an entire molecule of a cytokine receptor. It is also possible to use only a domain in the molecule that imparts proliferating activity to a cell. The latter approach is advantageous in proliferating the cell as it is because the domain proliferates the cell into which the fusion protein-coding gene has been introduced without differentiating it. Furthermore, the vector used in the present invention includes not only a single vector molecule containing the fusion protein-coding gene and a single vector molecule containing the fusion protein-coding gene and the exogenous gene, but also includes a vector system of multiple vector molecules comprising a combination of a vector containing the fusion protein-coding gene and a vector containing the exogenous gene, for example, a binary vector system. Such a vector system of multiple

09442305-893099  
550559-502460

vector molecules is usually introduced into a cell by co-transformation.

When a gene encoding the fusion protein and an exogenous gene are inserted into the same vector, they may be made into a dicistronic form containing an internal ribosome entry site (IRES) (published PCT Application in Japan No. Hei 6-509713). For example, it is possible to use a vector having a structure containing, from 5' to 3', a promoter, an exogenous gene, IRES, and a gene encoding the fusion protein or a vector having a structure containing, from 5' to 3', a promoter, a gene encoding the fusion protein, IRES, and an exogenous gene. The former type is generally used to allow most of the cells expressing the fusion protein gene to express the exogenous gene.

Moreover, in the present invention, the cell into which the vector is introduced includes hematopoietic stem cells, lymphatic cells, and cells other than these blood cells. In particular, hematopoietic stem cells that can self-proliferate are preferable in the present invention. Although the exogenous gene to be introduced into the cell in the present invention is not particularly limited, a normal gene corresponding to a defective gene is generally used in the field of gene therapy.

#### Brief Description of the Drawings

Fig. 1 (A) shows a chimeric molecule between the G-CSF receptor and the estrogen receptor (GCRER). (B) shows a mutant of the chimeric molecule between the G-CSF receptor and the estrogen receptor, deficient in the 5th through the 195th amino acids of the G-CSF receptor (GCR $\Delta$ (5-195)/ER). (C) shows a mutant of the chimeric molecule between the G-CSF receptor and the estrogen receptor,

deficient in the 5th through 195th amino acids and the 725th through 756th amino acids of the G-CSF receptor ( $\text{GCR}\Delta(5-195, 725-756)/\text{ER}$ ).

Fig. 2 shows a retrovirus vector "pMX" in which a chimeric gene between the G-CSF receptor and the estrogen receptor has been incorporated.

Fig. 3 shows proliferation of the Ba/F3 cells transformed with "pCMX-GCRER" with the passage of time.

Fig. 4 shows proliferation of the Ba/F3 cells transformed with "pCMX-GCRER" with the passage of time; the cells were stimulated with various concentrations of estradiol.

Fig. 5 shows proliferation of the Ba/F3 cells transformed with "pCMX-GCR $\Delta(5-195)/\text{ER}$ " with the passage of time.

Fig. 6 shows plasmid "pCMX-GCRER-IRES-CD24."

Fig. 7 shows plasmid "pCMX-GCR $\Delta(5-195)/\text{ER}$ -IRES-CD24."

Fig. 8 shows plasmid "pCMX-GCR $\Delta(5-195, 725-756)/\text{ER}$ -IRES-CD24."

Fig. 9 shows the expression of CD24 in the Ba/F3 cells into which "pCMX-GCR $\Delta(5-195)/\text{ER}$ -IRES-CD24" has been introduced, detected by flow cytometry. The upper panel shows the results from the Ba/F3 cells into which "pCMX-GCR $\Delta(5-195)/\text{ER}$ -IRES-CD24" has been introduced; the lower panel shows the result from the Ba/F3 cells into which "pCMX-GCR $\Delta(5-195)/\text{ER}$ " has been introduced as a control. (Note that the data also contain the signal from propidium iodide that was used to detect dead cells.)

Fig. 10 is a microscopic photograph showing granulocyte-macrophage lineage colonies derived from bone marrow cells into which "vMXGCRER" has been introduced.

Fig. 11 is a microscopic photograph showing erythroblastic

colonies derived from the bone marrow cells into which "vMXGCR $\Delta$ (5-195)/ER" has been introduced.

Fig. 12 is a microscopic photograph showing the Wright-Giemsa-stained macrophage which have differentiated from the bone marrow cells into which "vMXGCRER" was introduced.

Fig. 13 is a microscopic photograph showing the Wright-Giemsa-stained erythroblasts which have differentiated from the bone marrow cells into which "vMXGCR $\Delta$ (5-195)/ER" was introduced.

#### Best Mode for Implementing the Invention

Example 1 Constructing the chimeric G-CSF receptor/estrogen receptor gene (a selective amplification gene)

In order to produce a chimeric protein comprising the entire G-CSF receptor and the ligand (estrogen)-binding domain of the estrogen receptor (hereafter designated simply as "GCRER"), the fusion gene having cDNAs that encode the respective proteins (Fig. 1(A)) was constructed. Next, a mutant of the fusion gene, "GCRER," which is deficient in the 5th residue, Glu, through the 195th residue, Leu, of the G-CSF receptor extracellular domain (hereafter designated simply as "GCR $\Delta$ (5-195)/ER") was constructed, in order to produce a chimeric protein that lacks reactivity against G-CSF (Fig. 1(B)). Further, a mutant was constructed by deleting a portion containing the differentiation-inducing domain (725-756) of the G-CSF receptor from the mutant (hereafter designated simply as "GCR $\Delta$ (5-195, 725-756)/ER") (Fig. 1(C)).

Example 2 Isolation of Ba/F3 cells into which was introduced the chimeric G-CSF receptor/estrogen receptor gene, which is a selective amplification gene

05143305-091069

The three kinds of selective amplification genes prepared in Example 1 were introduced into plasmid "pCMX" (Cancer Res. 56:4164 (1996)). Ten  $\mu$ g each of the resulting plasmids were introduced into the Ba/F3 cell, which is an IL-3-dependent cell line, together with 1  $\mu$ g of the ScaI-linearized "pSV2bsr" (Kaken Pharmaceuticals) carrying a blasticidin resistance gene, by electroporation. After the electroporation, the cells were distributed into 24-well plates at  $5 \times 10^5$  cells per well, and cultured in a medium containing 10  $\mu$ g/ml of blasticidin. Proliferation of blasticidin resistant cells was observed in 11 out of 17 wells where "pCMX-GCRER" was introduced, in 3 out of 29 wells where "pCMX-GCR $\Delta$ (5-195)/ER" was introduced, and in 52 out of 52 wells where "pCMX-GCR $\Delta$ (5-195, 725-756)/ER" was introduced. After allowing these blasticidin resistant cells to proliferate in individual wells with IL-3, the cells were cultured with  $10^{-7}$  M estradiol instead of IL-3. Proliferation of IL-3-independent and estrogen-dependent cells was observed in 7 out of 11 wells where "pCMX-GCRER" was introduced, in 3 out of 3 wells where "pCMX-GCR $\Delta$ (5-195)/ER" was introduced, and in 13 out of 16 wells where "pCMX-GCR $\Delta$ (5-195, 725-756)/ER" was introduced. When a similar experiment was performed using, in place of "pCMX-GCRER," a retrovirus vector "pMX" (Exp. Hematol. 24: 324 (1996)) into which "GCRER" had been inserted (hereafter designated simply as "pMX-GCRER") (Fig. 2), proliferation of IL-3-independent and estrogen-dependent cells was observed in 2 out of the 24 wells each containing one cell. Also, when 1 nM G-CSF was added in place of estradiol to the cells into which "pCMX-GCRER" was introduced, those wells that showed G-CSF-dependent proliferation were the same as those that had shown estradiol-dependent proliferation. Moreover, when the Ba/F3 cells

containing no plasmid were used as a control, neither G-CSF-dependent proliferation nor estradiol-dependent proliferation was observed. The production of the desired fusion protein in the cells was confirmed by western blotting using an anti-G-CSF receptor antibody or an anti-estrogen receptor antibody.

### Example 3 Analysis of cell proliferation by estradiol

Among the clones obtained by limiting dilution in Example 2, those showing good response to estradiol were selected and used in the following experiment (XTT assay).

The Ba/F3 cells into which "pCMX-GCRER" was introduced were examined. There were IL-3-independent cells that proliferated by stimulation with G-CSF or estradiol (Fig. 3). Moreover, when the same experiment was done while varying the estradiol concentrations between  $10^{-14}$  and  $10^{-7}$  M, cell proliferation was observed in the range from  $10^{-9}$  to  $10^{-7}$  M (Fig. 4). This result suggests that estradiol transmits the cell proliferation signal at the concentrations between  $10^{-9}$  and  $10^{-7}$  M.

The Ba/F3 cells into which "pCMX-GCR  $\Delta$  (5-195)/ER" was introduced were then examined. The results indicated that the cell proliferation by G-CSF stimulation was blocked and the estradiol stimulation alone caused cell proliferation (Fig. 5).

Similarly, for Ba/F3 cells into which "pCMX-GR  $\Delta$  (5-195, 725-756)/ER" was introduced, cell proliferation was caused by estrogen stimulation, but no response to G-CSF was observed.

### Example 4 Construction of the IRES-CD24 expression plasmid

"PCMX-GCRER" was digested with HindIII and EcoRI, and the vector fragment ("fragment 1") was recovered. Also, from "pCMX-GCRER" and "pCMX-GCR  $\Delta$  (5-195)/ER," the HindIII fragment ("fragment 2," 1672 bp)

and the KpnI fragment ("fragment 3," 1099 bp), and the EcoRI fragment ("fragment 4," 1888 bp) and the KpnI fragment ("fragment 5," 1792 bp) were recovered. PBCEC (pBluescript II KS ligated to IRES and CD24 derived from EMCV, Migita, M., Proc. Natl. Acad. Sci. USA 92:12075 (1995)) was digested with ApoI, and the fragment containing IRES-CD24 ("fragment 6," 950 bp) was recovered. "pCMX-GCRER-IRES-CD24" (Fig. 6) was constructed by ligating "fragment 1," "fragment 2," "fragment 4," and "fragment 6." "pCMX-GCR $\Delta$ (5-195)/ER-IRES-CD24" (Fig. 7) was constructed by ligating "fragment 1," "fragment 3," "fragment 4," and "fragment 6." "pCMX-GCR $\Delta$ (5-195, 725-756)/ER-IRES-CD24" (Fig. 8) was constructed by ligating "fragment 1," "fragment 3," "fragment 5," and "fragment 6."

#### Example 5 Intracellular expression of CD24

After  $10^7$  Ba/F3 cells were washed twice with PBS and once with "OPTI-MEM1" (Gibco-BRL), the cells were suspended into 0.2 ml of "OPTI-MEM1." Ten mg each of "pCMX-GCRER-IRES-CD24," "pCMX-GCR $\Delta$ (5-195)/ER-IRES-CD24," and "pMX-GCR $\Delta$ (5-195, 725-756)/ER-IRES-CD24" was added to the cells, and transformation was performed using "Gene Pulser" (BioRad) at 290 V, 960 mF. After the transformation, the cells were cultured for two days in the RPMI medium containing 10% FCS and 10 U/ml mIL-3 (R&D SYSTEMS). After  $10^6$  cells were washed with 5 % FCS/PBS, the cells were reacted with 1 mg/ml of the anti-CD24 antibody (Pharminogen) for 30 minutes at room temperature. The cells were then washed twice with 5% FCS/PBS, reacted with a 1:20 dilution of the PE-labeled anti-mouse antibody (DAKO) for 30 minutes at room temperature, and washed again twice with 5% FCS/PBS. The cells were suspended in 1 ml of 5 mg/ml propidium iodide/PBS, and the CD24 expression was analyzed by flow cytometry (Becton Dickinson) using



a 585 nm detector. The CD24 expression was detected from a number of the cells into which "pCMX-GCR $\Delta$ (5-195)/ER-IRES-CD24" had been introduced. In this experiment, the cells into which "pCMX-GCR $\Delta$ (5-195)/ER" was introduced were used as a control against the cells having "pCMX-GCR $\Delta$ (5-195)/ER-IRES-CD24" introduced. The results are shown in Fig. 9 and Table 1. Note that the data contain the signal from propidium iodide that was used to detect the dead cells.

Table 1

Introduced plasmid	Anti-CD24 antibody (-) cells	Anti-CD24 antibody (+) cells
PCM $\Delta$ -GCR $\Delta$ (5-195) /ER-IRES-CD24	59.77 %	40.23%
pCMX-GCR $\Delta$ (5-195) /ER	85.10 %	14.90 %

#### Example 6 Progenitor assays

5-Fluorouracil (5FU: Wako Pure Chemical Industries, Ltd.) in physiological saline (10 mg/ml) was intravenously injected into four 6-week-old C57BL mice at a dose of 330 ml/mouse. Two days after the injection, bone marrow was collected from femurs, centrifuged (1,500 rpm, 25 °C, 22 min) on "Lymphocyte-M" (Cederlane) to isolate mononuclear cells. The mononuclear cells were cultured for two days in the Iscove modified Dulbecco medium (IMDM; Gibco) supplemented with 20% FCS, 100 U/ml IL6, and 100 mg/ml rat SCF. On a CH296 (Takara Shuzo; Hanenberg, H. et al., Nature Med. 2: 876 (1996))-coated plate (1146: Falcon) 10<sup>6</sup> bone marrow cells pretreated with IL6 and SCF were suspended in a culture supernatant containing 10<sup>8</sup> of either the

retrovirus "vMXGCRER" (obtained in the culture supernatant of an ecotropic packaging cell line "GP+E-86" (J. Virol. 62: 1120 (1988)) and having "pMX-GCRER" incorporated therein) or the retrovirus "vMXGCR $\Delta$ (5-195)/ER" (obtained in the culture supernatant of an ecotropic packaging cell line "GP+E-86" and having "pMX-GCR $\Delta$ (5-195)/ER" introduced therein). The cells were cultured in the presence of IL6 and SCF. The viral supernatants were replaced at 2, 24, 26, 36, and 38 hours. Twenty-four hours after the sixth viral supernatant replacement, the cells were transferred into a medium containing methylcellulose (IMDM, 1.2% methylcellulose 1,500 cp; Wako, 20% FCS, 1% deionized BSA, 10 mM 2-mercaptoethanol,  $10^{-7}$  M b-estradiol) at  $10^4$ /well. After culturing for 10 days, colonies were observed under the microscope. Smear samples were prepared and subjected to Wright-Giemsa staining to identify the cells.

Among the bone marrow cells infected with "vMXGCRER" or "vMXGCR $\Delta$ (5-195)/ER," granulocyte-macrophage lineage colonies and erythroblast lineage colonies, which had differentiated from the bone marrow cells by the estradiol stimulation, were observed. Fig. 10 shows the granulocyte-macrophage lineage colonies derived from the "vMXGCRER"-infected bone marrow cells by the estradiol stimulation; Fig. 11 shows the erythroblast lineage colonies derived from the "vMXGCR $\Delta$ (5-195)/ER"-infected bone marrow cells upon the estradiol stimulation. When the cells constituting these colonies were made into smear samples and subjected to Wright-Giemsa staining, differentiated blood cell images were obtained. Fig. 12 shows the Wright-Giemsa stained image of the macrophage observed in the smear samples of the granulocyte-macrophage lineage colonies derived from the "vMXGCRER"-infected bone marrow cells; Fig. 13 shows the

Wright-Giemsa stained image of the erythroblasts observed in the smear samples of the erythroblast lineage colonies derived from the "vMXGCR  $\Delta(5-195)/ER$ "-infected bone marrow cells.

#### Industrial Applicability

The present invention has made it possible to selectively amplify a cell into which an exogenous gene has been introduced, in response to an external stimulus, thereby enabling effective gene therapy even when the introduction efficiency of the gene into the target cells is low. Furthermore, since the system for selectively amplifying cells of the present invention can be applied to various blood cells, the range of cells targeted in gene therapy has been widened. Therefore, the present invention provides an important basic technology, particularly in the field of gene therapy.

## Claims

1. A fusion protein comprising (a) a ligand-binding domain, (b) a domain that associates when a ligand binds to the domain of (a), and (c) a domain comprising a cytokine receptor or a part thereof that imparts proliferation activity to a cell upon the association.

2. The fusion protein of Claim 1, wherein the "domain comprising a cytokine receptor or a part thereof that imparts proliferation activity to a cell upon the association" is derived from a G-CSF receptor.

3. The fusion protein of Claim 1, wherein the "ligand-binding domain" is derived from a steroid hormone receptor.

4. The fusion protein of Claim 3, wherein the steroid hormone receptor is an estrogen receptor.

5. A vector comprising a gene encoding the fusion protein of Claim 1.

6. A cell carrying the vector of Claim 5.

7. A method for selectively proliferating the cell of Claim 6, which comprises exposing the cell of Claim 6 to a ligand capable of acting on the "ligand-binding domain" of the fusion protein of Claim 1.

8. A vector comprising a desired exogenous gene and a gene encoding a fusion protein comprising (a) a ligand-binding domain, (b) a domain that associates when a ligand binds to the domain of (a), and (c) a domain that imparts proliferation activity to a cell upon the association.

9. The vector of Claim 8, wherein the "domain that imparts proliferation activity to a cell upon the association" is derived

05142305-091099

from a cytokine receptor.

10. The vector of Claim 9, wherein the cytokine receptor is a G-CSF receptor.

11. The vector of Claim 8, wherein the "ligand-binding domain" is derived from a steroid hormone receptor.

12. The vector of Claim 11, wherein the steroid hormone receptor is an estrogen receptor.

13. The vector of Claim 8, wherein the "gene encoding a fusion protein" and the "exogenous gene" are located on the same molecule.

14. The vector of Claim 8, wherein the "gene encoding a fusion protein" and the "exogenous gene" are located on separate molecules.

15. A cell carrying the vector according to any one of claims 8 to 14.

16. A method for selectively proliferating the cell of Claim 15, which comprises exposing the cell of Claim 15 to a ligand capable of acting on the "ligand-binding domain" of the fusion protein encoded by the gene contained in the vector of Claim 8.

17. A kit comprising (a) the vector of Claim 5 or Claim 8, and (b) a ligand capable of acting on the "ligand-binding domain" of the fusion protein encoded by the gene contained in the vector.

0944305-094099

## Abstract


Selective amplification of cells is enabled by introducing into cells a gene encoding a fusion protein comprising (a) a ligand-binding domain, (b) a domain that associates when the ligand binds to the domain of (a), and (c) a domain that imparts proliferation activity to the cells upon the association and stimulating the cells with the ligand.

09442305.004099

1/13


Fig. 1

(A)



(B)


Taq(265) Taq(838)



(C)

Taq(265) Taq(838)


PmeI(2689)



2 / 13

Fig. 2


retrovirus vector (pMX)






3 / 13

Fig. 3



4 / 13

Fig. 4



5 / 13

Fig. 5





Fig. 6



7 / 13

Fig. 7







Fig. 8




9/13

Fig. 9



10/13

Fig. 10





09142305 091009



11/13


Fig. 11



09142305-091099

12/13

Fig. 12



09142305-091099

Fig. 13



	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled GENE THAT IMPARTS SELECTIVE PROLIFERATIVE ACTIVITY, the specification of which

- ☐ is attached hereto.  
☐ was filed on \_\_\_\_\_ as Application Serial No. \_\_\_\_\_  
and was amended on \_\_\_\_\_.  
☒ was described and claimed in PCT International Application No. PCT/JP97/00687  
filed on March 5, 1997 and as amended under PCT Article 19 on \_\_\_\_\_.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

Country	Serial Number	Filing Date	Priority Claimed?
PCT	PCT/JP97/00687	March 5, 1997	Yes
Japan	8/47796	March 5, 1996	Yes

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose all information I know to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56(a) which became available between the filing date of the prior application and the national or PCT international filing date of this application:

Serial Number	Filing Date	Status

5 I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Paul T. Clark, Reg. No. 30,162, Karen L. Elbing, Ph.D., Reg. No. 35,238, Kristina Bieker-Brady, Ph.D., Reg. No. 39,109, Christine P. Bellon, Ph.D., Reg. No. 41,611, Susan M. Michaud, Ph.D., Reg. No. 42,885.

Address all telephone calls to: Paul T. Clark at 617/428-0200.

Address all correspondence to: Paul T. Clark at Clark & Elbing LLP, 176 Federal Street, Boston, MA 02110.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Keiya OZAWA	Tochigi, JAPAN JPX	C-201, 3-1-3, Gion Minamikawachi-machi Kawachi-gun TOCHIGI 329-0434 JAPAN	Japan
Signature: <i>Keiya Oza</i>			Date: Aug. 6, '99

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Katsuhisa ITOH	JPX	c/o DNAVEC Research Inc. 25-11Kannondai 1-chome Tsukuba-shi IBARAKI 305-0856 JAPAN	Japan
Signature: <i>Katsuhisa Ito</i>			Date: 99/8/4

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Tsuneaki SAKATA	Osaka, JAPAN JPX	24-E-202, Kamishinden 1-chome Toyonaka-shi OSAKA 565-0085 JAPAN	Japan
Signature: <i>T. Sakata</i>			Date: 8/11/99

40

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Yasuji UEDA	JPX	c/o DNAMEC Research Inc. 25-11Kannondai 1-chome Tsukuba-shi IBARAKI 305-0856 JAPAN	Japan
Signature: <i>Yasuji Ueda</i>			Date: 99/8/4

500442305-091099

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Mamoru HASEGAWA	JPX	c/o DNAMEC Research Inc. 25-11Kannondai 1-chome Tsukuba-shi IBARAKI 305-0856 JAPAN	Japan
Signature: <i>Mamoru Hasegawa</i>			Date: August 4 '99